DOM E-FOCUS INDUSTRIAL CO., LIMITED Address:501, Block Four, ChuangYe Industrial Park, Long Hua Town, Bao An District, Shenzhen, China Tel:+86-755 88257909 /83418779 Fax:+86-755-88250226 Website: www.securiticn.com Sales Supervisor : MSN: barry588ohotmail.com Contact: Barry Chen Email: barry@securiticn.com Region Sales Contact: Contact: Sophia Wang MSN: efocus003@hotmail.com Email: sophia@securiticn.com Expiration Date: 2010-12-30 Introduction Model 1.LCD: 2.8 inch, Patrol Address, Patrol Man and accident record New! 2.shell: stainless shell, waterproof, quakeproof, anti extreme temperature. 3. aviation system: intelligentized guaiding system, alarming when miss the point 4. Record Capcity: 10000 pieces 5. Fingerprint Verification, Support multi language GPS800F LCD Guard Patrol Stick 6. Consumption: 50mA 7. Accident record: 30pieces 8. Time Reliable: when the power is off or too low, thememory can be kept for 30 years 9. High speed download: download all data within 3 minutes 10. Expansibility: can support long-distance, modem transmission 11. Power supply: Li-ion rechargeable Battery 3.6V 1.LCD: Patrol Address.Patrol Man and accident record 2.shell: stainless shell,waterproof,quakeproof,anti extreme temperature. 3. aviation system: intelligentized guaiding system, alarming when miss the point 4. Record Capcity: 10000 pieces 5. Support multi language GPS800 LCD Guard Patrol Stick 6. Consumption: 50mA 7. Accident record: 30pieces 8. Time Reliable: when the power is off or too low, thememory can be kept for 30 years 9. High speed download: download all data within 3 minutes 10.Expansibility: can support long-distance, modem transmission 11. Power supply: Li-ion rechargeable Battery 3.6V 1. no-key design: automatic induction technical, convenience. 2. Shell:stainless shell,waterproof,quakeproof,anti extreme temperature. 3. Flashlight function GPS0026 Guard 4. Support Multi Language Patrol Stick with 5. technical: Switzerland EM induction technical Flashlight 6. Record Capcity: 7200 pieces 7. Time Reliable: when the power is off or too low, thememory can be kept for 30 years 8. High speed download: download all data within 3minutes. 9. Data interface: USB 1. No-Key design: automatic induction technical, convenience. 2. Shell: stainless shell,waterproof,guakeproof,anti extreme temperature. 3. Hint type: LED + Shake 4. Support Multi Language GPS0025 Guard 5. Technical: Switzerland EM induction technical Patrol Stick 6. Record Capcity: 7200 pieces 7. Time Reliable: when the power is off or too low, thememory can be kept for 30 years 8. High speed download: download all data within 3 minutes 9. Data interface: USB.R232

GPS3000 Guard Patrol Stick	 No-Key design: automatic induction technical, convenience Shell: stainless shell,waterproof,quakeproof,anti extreme temperature Hint type: LED + Shake LCD: Address, Record Time, Record No. Support Multi Language Technical: Switzerland EM induction technical Record Capcity: 7200 pieces Time Reliable: when the power is off or too low, thememory can be kept for 30 years High speed download: download all data within 3minutes. Expansibility: can support long-distance communication Power supply: Li-ion rechargeable Battery3.6V 	
	1. Cable Key: One-Key Keyboard Induction Technical	
	2. Shell: stainless shell,waterproof,quakeproof,anti extreme temperature	
GPS0028+ Stainless Guard Patrol Stick	3. Hint type: LED + Shake 4. Support Multi Language	S
	 5. Technical: Switzerland EM induction technical 6. Record Capcity: 7200 pieces 	
	 Time Reliable: when the power is off or too low, thememory can be kept for 30 years High speed download: download all data within 3 minutes 	
	9. Expansibility: can support long-distance communication	
	1. Compression format: MPEG4; ASF format video file	m .
	2. One Channel video in; two audio in (option) built-in microphone	
	3. Backup: built-in SD port, support maximum to 2.0GB SD card, USB 2.0 port	A State of S
E-FDVR001 Portable Video	 Video record: support VGA and QVGA, maximum resolution: 640*480,30fps Recording mode: full-stop, overwrite 	
Recorder	6. Power Supply, adaptor, DC 5V, built-in rechargeable battery: 1270mA	
	7. Camera specification: 1/4 sharp ccd, 480TVLines, 0.1Lux, wide version angle	
	8. Using the 5th generation chipset, the camera has better and stable image quality and less power consumer. Adapting high sensitivity microphone, the video and audio are synchronous	OK
	in recording.	
	1.Memory Integrated Chip Of Information is comprised of stainless steel case of	
	waterproof,quakeproof,rustproof.	and the second
Patrol Checker (GPS800 uses TI	2. Use Age: >20 years	(Illies and)
GP SOUD USES II	3 Temperature $-40^{\circ}C \sim +70^{\circ}C$	

Chip, others EM.)	3. Temperature: -40 C/~+70 C
	4. This item is installed in the place or points requiring check.
	5. Silver(grey)/Green Color Optional

	1.contactless	
Guard ID Key	2.Be used reliably in terms of rain, snow, ice, dust, etc.	8
(GPS800 uses TI	3.Without battery and Wireless, can use 20 years	
chip,others EM.)	4. Highly stimulated card, saving power	

instance in	 Memory Integrated Chip Of Information is comprised of stainless steel case of waterproof, quakeproof, rustproof. Use Age: >20 years Termoneture 40°C 70°C 	
T 1 1 1	 3. Temperature: -40°C ~+70°C 4.Oringinal imported: wall installed 	